

Trace Scenic Spots



- Indent adjustment by scale in cm



- Colors;






PAR30 / AR111

PAR20 / AR70


MR11 / MR16




- Dimensions in mm



MR11 / MR16




PAR20 / AR70




PAR30 / AR111




MR16 ECO




MR16 EVO




MR11 ECO




MR11 EVO




PAR20 ECO




PAR20 EVO




AR70 EVO




AR70 PRO




PAR30 ECO




PAR30 EVO




AR70 EVO



AR70 PRO



PAR30 CDMR



Spot	Lamps	Min. indentation	Max. indentation
SPOTSTAGE MR11 / MR16 	MR11 ECO	61 mm	91 mm
	MR11 EVO	52 mm	82 mm
	MR16 ECO	54 mm	84 mm
	MR16 EVO	30 mm	60 mm
SPOTSTAGE PAR20 / AR70 	PAR20 ECO	58 mm	98 mm
	PAR20 EVO	52 mm	92 mm
	AR70 EVO	79 mm	119 mm
	AR70 PRO	81 mm	121 mm
SPOTSTAGE PAR30 / AR111 	PAR30 ECO	65 mm	115 mm
	PAR30 EVO	57 mm	107 mm
	PAR30 CDMR	26 mm	76 mm
	AR111 EVO	85 mm	135 mm
	AR111 PRO	85 mm	135 mm

