




# OPUS

Skillful Masterpiece

© OPUS 6434

 BainUltra®



# An Opus to Bathing in Luxury and Wellness

## OPUS 6434

BainUltra is proud to present Opus, a solid surface bath collection made with FineStone®.

An "opus" is a creative work, the result of a composition based on careful thought, inspiration and a desire to bring the skillful spirit of the artist forward... Which is what inspired the creation of the Opus bathtub.

## A symphony of lines and curves

All details, lines, and curves drawn by our designers and craftspeople are like strokes of a pen, or notes in a symphony blending harmoniously together in the final masterpiece.

## OPUS 6434



Freestanding | 64" x 34" x 25"

68 Imperial gallons | 81 U.S. gallons

FineStone® | White Satin Finish



**FINESTONE® IS A HIGH QUALITY  
SOLID SURFACE MATERIAL**

Designed with care, baths made of FineStone® are composed of refined minerals and pure liquid acrylic. They offer peace of mind, when it comes to high quality products by BainUltra:

- Thermal insulant; hot temperature resistant
- Strong, resistant, and durable
- Light/color resistant, no color bleed or wear
- Non porous, hygienic and easy to clean
- Can be easily repaired



[bainultra.com](https://bainultra.com)



The specifications shown represent the outer edge dimensions. The manufacturer accepts a 1/4" [0.64 cm] variance. There are variations on each bath and specifications are subject to change as we improve upon our product as required. The dimensions needed for site preparation and structure building will differ. BainUltra assumes no responsibility for preparatory work done prior to the product being on the site. \*Some restrictions may apply.



NEW

# OPUS 6434

64" x 34" x 25" (FREESTANDING)

*A symphony of lines and curves inspired by the creative genius of the artist.*

PRODUCT SHEET

## PRODUCT NO.

MODEL	TUB
Freestanding	BOS2RF00F

TUB  
Soaker



\$

## FEATURES

Installation type	Freestanding
No. of bathers	68
US gallons	81
Imp. gallons	68
Armrests	2

## INTEGRATED WASTE & OVERFLOW BOVERINI-XX

White 01, Chrome 07, Brushed Nickel 09, Polished Nickel 10	Installed & Included
---	----------------------

## STANDARD COLOR

White 01	Included
<b>FINISH</b>	
Satin Finish	Included

## OPTIONS (UPCHARGE APPLICABLE)

### INTEGRATED WASTE & OVERFLOW BOVERINI-XX

Matte Black 19, Satin Brass 18	\$
--------------------------------	----

### ISLAND TUB DRAIN™\*

Island Tub Drain™ BSLDD	\$
Cast Iron Island Tub Drain™ BSLDDCI	\$

### IF REQUIRED BY CONSTRUCTION CODE OR INSTALLED WITH ITD\*

Brass waste kit BDRCB	\$
-----------------------	----



\* An Island Tub Drain™ and the Brass waste kit are required when there is **no access under the bath**.

**TOTAL PRICE** \$



Made with FineStone®


FineStone® is a high quality solid surface material composed of refined minerals and pure acrylic. Designed with care, this material is non porous, hygienic, and thermal insulant. Its satin finish is easy to clean and will maintain its properties through time.



**OPUS 6434 (FREESTANDING)**



#### INSTALLATION



LETTER	DESCRIPTION	MEASURE
A	Total length	64"
B	Total width	34"
C	Bathing well length	47 15/16"
D	Bathing well width	25 15/16"
E	Deck width	3/4"
F	Deck width	3/4"
G	Total maximal height	24 3/4"
H	Total minimal height	24"
I	Base length	43 1/16"
J	Slope of backrest	23°
K	Maximum water level	18 1/4"
L	Base width	20 1/16"

#### TECHNICAL SPECIFICATIONS

**Other** Faucet must be freestanding or wall-mounted.

Our products must be installed by certified professionals only and according to our Installation Instructions as well as federal, provincial/state and local building codes and regulations ([www.bainultra.com/documentation/documentation](http://www.bainultra.com/documentation/documentation)).

**Cutting template** # 90000088

**Approx. shipping weight** 310 lbs

#### WARRANTY

Bath 20 years

\* Some restrictions apply | [www.bainultra.com/warranty](http://www.bainultra.com/warranty)

The specifications shown indicate the outer edge dimension and the inside bathing capacity. The manufacturer accepts a 1/4" [0.64 cm] variance. There are variations on each product and specifications are subject to change as we improve upon our product as required. The dimensions needed for site preparation and structure building will differ. BainUltra® assumes no responsibility for preparatory work done prior to the product being on site.