



LIBRA OVAL 6635

THE BEAUTY OF BALANCE

BainUltra expands collection with elegant Libra Oval.

(Québec, Canada. June 15, 2022) BainUltra brings symmetry to their Libra Collection with the addition of a second freestanding tub – the Libra Oval 6635. This newest iteration features the same harmonious flow and celestial inspiration that is a signature of the Libra line and adds a graceful oval-shaped shell with raised ends. The look is elegant and refined, allowing the simple purity of classic design to elevate the entire bathroom into a sanctuary of wellness and relaxation.

The Libra Oval is slightly larger than its counterpart, measuring a generous 66" x 35" x 27" with longer and deeper dimensions that easily accommodate two bathers. Symmetrical raised ends provide comfortable headrests while molded armrests ensure a supremely restful bathing experience. The exterior of the tub is deliberately unembellished to allow the sleek silhouette to shine. The Libra Oval is crafted from 100% pure acrylic and meticulously polished by hand to create a non-porous surface that is exceedingly durable and easy to maintain. Choose from a beautiful glossy white finish, a dramatic black and white combination, or the brand's sumptuous UltraVelour matte finish.

BainUltra extends the full range of their luxurious therapy options to the newest Libra model in two distinct configurations. As part of the Thermomasseur® collection, the bath is equipped with a heated backrest and the Geysair® hot air system with 42 adjustable jets to surround the bather in blissfully warm bubbling water that provides an incredible hydro-thermo massage. In addition, the new BU-TOUCH is included, which is a simple way to activate all the options for the bath from your mobile device. As a soaker tub, Libra is offered with an optional WarmTouchShell® with targeted heating zones built into the inner shell. Both versions are eligible for the brand's exclusive Illuzio chromatherapy system that allows soothing lights to glow from within the tub's walls for unparalleled sensory indulgence.

LIBRA OVAL CONTINUED

Bring the beauty of balance and symmetry to the bathroom with the extraordinary Libra Oval freestanding bathtub. Learn more about this tub and other exciting BainUltra designs and therapies by visiting bainultra.com

ABOUT BAINULTRA

For over 40 years, BainUltra®, a Canadian company, has helped customers throughout North America improve their personal health. While they've pioneered the development of therapeutic air jet baths, their mission over the years has evolved. Today, they offer an integrated line of products that help consumers improve relaxation, health and well-being right in their own homes. The company's mission is to transform the bathroom from the ordinary to the inspired, by making it a fully personalized space that uses the best designs and therapies that will cater to the needs of your body, mind and spirit. BainUltra uses the latest advances in hydrotherapy - incorporating heat, massage, light, sound and aroma - to reinvent the bathing experience.

To contact BainUltra, call 800-463-2187 or email at info@bainultra.com.



PUBLIC RELATIONS CONTACT:

Linda Jennings
Jennings & Company
941-351-1005
Linda@jenningsandcompany.com



LIBRA OVAL 6635

66" x 35" x 27" (FREESTANDING)

Libra's symmetrical lines and universal look will be a perfect fit in any style bathroom. The identical soft slope of the interior walls brings comfort and relaxation for one or two bathers.

PRODUCT NO.

MODEL	TMU	TUB
Freestanding	BLIHOF00T-XX	BLIHOF00N-XX

THERMOMASSEUR (TMU) Hydro-thermo massage • Air jet system	\$
Jets	34
1 heated backrest	Included
MiaPlus® Control* (not installed)	Included
BU-Touch Control Application	Included
Geysair®	Included
AromaCloud®	N/A
Illuzio Chromatherapy BCHRO6	\$
2nd heated backrest (WTS-1 zone) BSHB	\$

TUB Soaker	\$
Illuzio Chromatherapy BCHRO6	\$
WarmTouchShell® BWTS	\$
DOT control	Included with therapy
2nd WarmTouchShell® BWTS2	\$

FEATURES

Installation type	Freestanding
No. of bathers	2
US gallons	56
Imp. gallons	46
Armrests	2

INTEGRATED WASTE & OVERFLOW [BOVERINI-XX](#)

White 01 , Chrome 07 , Brushed Nickel 09 , Polished Nickel 10 , Matte White with UltraVelour finish 32	Installed & Included
--	----------------------

STANDARD COLOR

	Included
White 01	

OPTIONS (UPCHARGE APPLICABLE)

COLOR

	\$
Black / White 66	

FINISH

UltraVelour Matte Finish (white only) BVEL3	\$
---	----

INTEGRATED WASTE & OVERFLOW [BOVERINI-XX](#)

Matte Black 19 , Satin Brass 18	\$
---	----

ISLAND TUB DRAIN™**

Island Tub Drain™ BISLDD	\$
Cast Iron Island Tub Drain™ BISLDDCI	\$

IF REQUIRED BY CONSTRUCTION CODE

Brass waste & overflow kit BDRCOB	\$
Brass waste kit BDRCB	\$



Don't forget to specify the **finish of the integrated waste & overflow**.

* Control must be wall-mounted. Faucets must be freestanding or wall-mounted.

** An Island Tub Drain™ is recommended when there is **no access under the bath**.

TOTAL PRICE \$

FOR THE INSTALLER

SCAN
TO VIEW
INSTALLATION
VIDEO (3:20 MIN)






LIBRA OVAL 6635 (FREESTANDING)



INSTALLATION



LETTER	DESCRIPTION	MEASURE
A	Total length	66"
B	Total width	35"
C	Bathing well length	42 3/8"
D	Bathing well width	23 3/16"
E	Deck width	1 1/2"
F	Center waste to air intake (side)	3 1/2"
G	Center waste to air intake (front)	3 1/2"
H	Maximum total height	27"
I	Minimum total height	24"
J	Maximum water level	18"
K	Slope of backrests	31°
L	Base length	44"
M	Base width	18"
N	The outer edge to center of waste	17 1/2"
O	Height from drain to floor	3 1/2"

● Indicates heated backrest (TMU)

☞ Indicates WarmTouchShell® position (TUB)

TECHNICAL SPECIFICATIONS

Hot water supply required	The hot water supply should be 70% or more of the bath's total water capacity.
Turbine	Turbine is remotely installed; access to the pump must be at least 18" x 22". Standard connection is 20 A, 120 V, 60 Hz , dedicated line with a Ground-Fault Circuit Interrupter (GFCI). For any additional option, a second line is needed 15 A, 120 V, 60 Hz , dedicated line with a GFCI. Air vent necessary: 2" x 4" minimum.
Others	<ul style="list-style-type: none"> - The Geysair is located on the same side as the heated backrest. It must NOT be relocated. It must be connected to the hot water supply and be accessible (provide access). - Faucet must be freestanding or wall-mounted. - The turbine must be remotely installed. - Controls cannot be installed on the deck of the bath.

Our products must be installed by certified professionals only and according to our Owner's Manual as well as federal, provincial/state and local building codes and regulations (www.bainultra.com/documentation/documentation).

Cutting template	# 90000086
Approx. shipping weight	230 lbs
Turbine power	550 W
Air heater	600 W
WARRANTY	
Controls-LED-Geysair*	5 years
Bath & turbine*	20 years

* Some restrictions apply | www.bainultra.com/warranty

The specifications shown indicate the outer edge dimension and the inside bathing capacity dimension measured at air jets' height. The manufacturer accepts a 1/4" [0.64 cm] variance. There are variations on each product and specifications are subject to change as we improve upon our product as required. The dimensions needed for site preparation and structure building will differ. BainUltra® assumes no responsibility for preparatory work done prior to the product being on site.